



Alternative top caps




Gothic




Anonymous

FA-3D Blest Diagonal 180-105 with New England top




Revisions		
	MM/DD/YY	Notes
1	14/11/17	Sheet Production - RL
2	06/10/20	Name definition, and layout update - MS
3	10/02/21	Layout update - RL
4	___/___/___	...
5	___/___/___	...


FA-3D Blest Diagonal 180-105 with New England top



Top rail profile




Middle rail profile




Aluminum profile in bottom rail to prevent deflection

Post
127mm x 127mm




Bottom cover
174mm x 174mm.

Rigid aluminum insert in post



Bottom of insert is
123mm x 123mm
8mm thickness of alu

Dia = 12mm



Revisions		
	MM/DD/YY	Notes
1	14/11/17	Sheet Production - RL
2	06/10/20	Name definition, and layout update - MS
3	10/02/21	Layout update - RL
4	___/___/___	...
5	___/___/___	...

Alt. for component 1:

Art. No: 102300



Art. No: 102300

Art. No: 102303


Component 2 & 10:

Special Post: Art. No: 101512
For pack no: 4851

Special Post: Art. No: 101502
For pack no: 4851



Component overview for pack no: 4851





1 full section contains:

1. Aluminum inserts for posts	- Art. No: See alternatives
2. PVC post (tall)	- Art. No: 101512
3. New England top (as standard)	- Art. No: 102457
4. Bottom cover	- Art. No: 102449
5. Top rail	- Art. No: 100705
6. Endlists for panel (tall)	- Art. No: 101831
7. Bottom rail with alu. liner	- Art. No: 100400
8. Lattice	- Art. No: 101910
9. Middle rail	- Art. No: 100605
10. Panel	- Art. No: 102225
11. Endlists for panel (short)	- Art. No: 101830
12. PVC post (short)	- Art. No: 101502

Additional posts can be purchased separately:

Tall Special Post - Pack no: 8813

Short Special Post - Pack no: 8803



Revisions		
1	14/11/17	Sheet Production - RL
2	06/10/20	Name definition, and layout update - MS
3	10/02/21	Layout update - RL
4	02/03/23	Layout update - LMS
5	--/--/--	...