




FA-8DG Sønnavind Diagonal Grey 180-105 with New England top




Top rail profile




Middle rail profile




Aluminum profile in bottom rail to prevent deflection



Rigid aluminum insert in post



Bottom of insert is 123mm x 123mm 8mm thickness of alu



Dia = 12mm

Revisions		
	MM/DD/YY	Notes
1	14/11/17	Sheet Production - RL
2	06/10/20	Name definition, and layout update - MS
3	10/02/21	Layout update - RL
4	___/___/___	...
5	___/___/___	...

Alt. for component 1:

Art. No: 102300



Art. No: 102300

Art. No: 102303


Component 2 & 10:

Special Post: Art. No: 101528
For pack no: 4907

Special Post: Art. No: 101518
For pack no: 4907



Component overview for pack no: 4907





1 full section contains:

1. Aluminum inserts for posts	- Art. No: See alternatives
2. PVC post (tall)	- Art. No: 101528
3. New England top (as standard)	- Art. No: 102465
4. Bottom cover	- Art. No: 102451
5. Top rail	- Art. No: 100266
6. Endlists for panel (tall)	- Art. No: 101850
7. Bottom rail with alu. liner	- Art. No: 100402
8. 8 Pickets	- Art. No: 101735
9. Middle rail	- Art. No: 100537
10. Panel	- Art. No: 102234
11. Endlists for panel (short)	- Art. No: 101849
12. PVC post (short)	- Art. No: 101518

Additional posts can be purchased separately:

Tall Special Post - Pack no: 8829

Short Special Post - Pack no: 8819



FA-8DG Sønnavind Diagonal Grey 180-105

www.kystgjerdet.com

Revisions		
1	14/11/17	Sheet Production - RL
2	06/10/20	Name definition, and layout update - MS
3	10/02/21	Layout update - RL
4	02/03/23	Layout update - LMS
5	--/--/--	...

A 04