



Alternative top caps




KG-3G Utsyn Grey 170 with New England top




| Revisions | | |
|-----------|-------------|---|
| | MM/DD/YY | Notes |
| 1 | 14/11/17 | Sheet Production - RL |
| 2 | 06/10/20 | Name definition, and layout update - MS |
| 3 | 10/02/21 | Layout update - LMS |
| 4 | ___/___/___ | ... |
| 5 | ___/___/___ | ... |

Stainless clamps
for 16-18mm glass




KG-3 Utsyn Grey 170 with New England top


Rigid aluminum
insert in post



post
127mm x 127mm.



U-Profile




16,72 mm tempered and laminated glass

Bottom cover
174mm x 174mm.


Bottom of insert is
150mm x 150mm.
10mm thickness of alu.

Dia = 9mm




| Revisions | | |
|-----------|----------|---|
| | MM/DD/YY | Notes |
| 1 | 14/11/17 | Sheet Production - RL |
| 2 | 06/10/20 | Name definition, and layout update - MS |
| 3 | 10/02/21 | Layout update - LMS |
| 4 | --/--/-- | ... |
| 5 | --/--/-- | ... |

Standard




Art. No: 102337

Special



Art. No: 102338

Component overview for pack no: 7405-7408



1 section contains:

- 1. Aluminium insert for post
- 1. PVC post
- 3. 16,76mm (88.2) tempered and laminated glass
- 4. New England top cap

- Art. No: See alternatives
- Art. No: 101543
- Art. No: 102500
- Art. No: 102465

- 5. Bottom cap
- 6. 4 x Glass clamp
- 7. 4 x Bolt

- Art. No: 102451
- Art. No: 102439
- Art. No: 102453



KG-3G Utsyn Grey 170

www.kystgjerdet.com

| Revisions | | |
|-----------|----------|---|
| | MM/DD/YY | Notes |
| 1 | 14/11/17 | Sheet Production - RL |
| 2 | 06/10/20 | Name definition, and layout update - MS |
| 3 | 10/02/21 | Layout update - RL |
| 4 | --/--/-- | ... |
| 5 | --/--/-- | ... |

A 03